characteristics Sintec 2 with castors

Article: 9803

| Dimensions in mm | Backrest: | H: | 420 |
|------------------|-----------|----|---------|
| | Seat: | H: | 430-580 |
| | | B: | 480 |
| | | T: | 430 |
| Packing data | Weight | kg | 12,0 |
| | Volume | m³ | 0,16 |





| Base equipment | | Benefit |
|--------------------------|---|--|
| Backrest | Ergonomically designed, high backrest to take the strain off the spine and muscles. This is achieved by means of its special shape: wide at the bottom and narrow at the top. | The backrest optimally supports your lumbar region whilst allowing your arms and upper body the space and freedom they need higher up in order to move around. |
| | Backrest height adjustment convenient and easy to handle in sitting position. | The amount of the support can be provided in accordance with the user's body size. |
| | Height adjustment scale integrated. | Helps to recover the optimum adjustment quickly (for example at shift work). |
| Seat | Ergonomically designed, extra high seat. | The seat automatically encourages the correct posture and upright, healthy sitting. |
| | With integrated pelvic support, rounded front edge and non-slip bulge. | The round front edge of the seat prevents blocked circulation in the thighs. The non-slip bulge prevents slipping forwards. Thus, the seat is completely utilized and the supporting contact to the backrest will be assured. |
| Seat and backrest design | Polypropylene: Sintec is equipped with robust plastic seat and backrest shells in basalt grey (RAL 7012). (Upholstery see Accessories). | Robust, suitable for every working condition. Easy-care. |
| Seat height | Stepless seat height setting from 430 - 580 mm supported by safety gas spring with protective cover. | Seat height can be adapted to nearly 95 % of all body sizes, the cover protects the gas spring from dust and dirt. |
| Technology | Permanent contact mechanism | This mechanism ensures that the backrest responds immediately to any movements of the upper body by following them. Thus, the back remains supported all the time. The backrest can also be locked into any tilt position if required. |
| | Quick adjustment | Every function can be operated comfortable and easy in sitting position. |
| | Anti-Shock lock | The backrest cannot accidentally spring forwards even after the lock has been released. |
| Base | 5 star base made from steel shape tube, powder-coatet, basalt grey (RAL 7012). Flat design. | Very high stability, longevity. Flat design prevents stumbling hazard. |
| Castors | Dual-wheel safety castors with load-sensitive brakes, For hard floors as standard. | Chairs are braked when not used which decreases the accident risk. |
| Materials | The materials used are recyclable. | Environmentally friendly. |
| Engineer standards | DIN 68 877 German GS "safety tested" mark of conformity. Quality Management System DIN EN ISO 9001 Regulation EWG Nr. 1836/93 and Environmental Management System DIN EN ISO 14001. | Procuring is insured. |

Sintec continue page 2

characteristics Sintec 2 with castors

Article: 9803

| Dimensions in mm | Backrest: | H: | 420 |
|------------------|-----------|----|---------|
| | Seat: | H: | 430-580 |
| | | B: | 480 |
| | | T: | 430 |
| 5 | | | 10.0 |
| Packing data | Weight | kg | 12,0 |
| | Volume | m³ | 0,16 |





Guaranteed quality and high efficiency.

bimos

characteristics Sintec 2 with castors

Article: 9803

| Dimensions in mm | Backrest: | H: | 420 |
|------------------|-----------|----|---------|
| | Seat: | H: | 430-580 |
| | | B: | 480 |
| | | T: | 430 |
| | | | |
| Packing data | Weight | kg | 12,0 |
| | Volume | m³ | 0,16 |



| Options | Benefit |
|---------|---------|
| | |

Upholstery

Depending on where they are going to be used, all Sintec chairs can be fitted with fabric, synthetic leather or hard-wearing integral foam

upholstery.

Fabric upholstery:

Resistant, respiratory and comfortable fabric -Duotec Selectable in following colours: Black (6801) Blue (6802) Grey (6811) Red (6803) Synthetic leather upholstery:

High-level synthetic leather "Skai". Resistant to desinfectants, washable and easy-care Selectable in following colours: Black (2571) Blue (6902) Grey (6911) Red (6903)

Integral foam (PU):

The new developed SoftTouch integral foam provides the ultimate softness in seating, is washable and resistant to external influences Colour: Blue (2001).

Supertec upholstery: An innovative fabric covering that combines the advantages of fabric and integral.

Selectable in following colours: Black (SP01) Blue (SP02) Grey (SP11).

Armchairs Loop armrest

Multifunctional armrest

Accessories Foot ring

Carrying handle

Swivel Stopp mechanism

Options Swinging base plate

Aluminum base, polished

Seat depth adjustment (increases the seat height by 30 mm).

The upholstery is attached using a simple hook-on system. This innovative means that you can adapt the chair to the individual workplace scenario. All Sintec replaceable upholstery provides a luxurious level of comfort.

This high-quality fabric upholstery is breathable and can both absorb and expel moisture. The extremely soft surface guarantees maximum comfort.

The soft and comfortable upholstery provides a comfortable feel. However, damages caused by sharp parts can not be excluded. Ideal for the use in production and laboratory.

The use of integral foam is recommended for work environments where the chair is in contact with aggressive substances and sharp parts.

Made of polyamide, adjustable in width (20 mm).

The armrests are adjustable in height, width and depth to suit the individual user.

The foot ring can be retrofitted by attaching it to the chair column

Suitable to handle the chair more easily.

For activities where the chair rotation is a hindrance, the chair can be locked by a lever.

Without corners and edges the base plate avoids

stumbling hazard and is easy to clean.